



Weber[®]
BRUSH SYSTEMS



Overview 2026

SINCE 1894



OF BRUSH TRADITION

WeedLine

Brushes and accessories for trimmers

Outdoor cleaning done. And now?

Cleanliness for your workshop

We know how to clean floors professionally - not only for exterior cleaning, but also in industrial and workshop areas. Our range includes machines and accessories from renowned manufacturers for interior cleaning. Contact us, we will be happy to advise you!



Special price!

Clean Track 30-1 STBL wet/dry vacuum cleaner

with 30 litre stainless steel tank • with powerful suction motor • with sturdy swivel castors

Article no.	Description
SR341.890.01	Clean Track 30-1 STBL wet/dry vacuum cleaner incl. wet vacuum-, dry vacuum- and crevice-nozzle, furniture brush, Pullman pipe system (S-pipe), suction hose 230 V • 1200 W • mains cable 7.2 m • hose length 3.5 m hose diameter 38 mm • max. tank volume 30 litres • height 750 mm



Compact & powerful

NANOscrub B36 walk-behind cleaning machine

easy to use • maintenance-free gel battery • convenient waste water disposal

Article no.	Description
EM761.890.01	NANOscrub B36 walk-behind cleaning machine incl. brush, 12 V/75 Ah gel battery and charger 12 V • working width 360 mm • maximum working performance 1,260 m ² /h • removable dirty water tank • 130 revolutions per minute • Suction/brush motor power 180/250 W • incl. 3-year warranty



3 years warranty

NANOscrub B45 walk-behind cleaning machine

Easy handling • ergonomic, continuously adjustable handle
Eco-Energy mode – up to 3.5 hours of runtime on a single battery charge

Article no.	Description
EM776.890.01	Clean Track NANOscrub B45 walk-behind cleaning machine incl. scrubbing brush, natural rubber squeegee set, 2 batteries 12V/75 Ah, on-board charger 24 V • brush/suction width 450/540 mm • maximum working performance 1,600 m ² /h • solvent tank 30 l • collection tank 35 l mechanical drive • suction/brush motor power 400/400 W clearly arranged and ergonomically positioned control panel

Use the compensation from the Single-Use Plastics Fund

KIPPEX outdoor vacuum cleaner

Special vacuum cleaner for cigarette butts, crown caps and small parts

Article no.	Description
940092.000000	KIPPEX incl. 2 x battery 2.5 Ah/18 V + 1 x charger + carrying strap and bag
940093.000000	KIPPEX incl. 2 x battery 5 Ah/18 V + 1 x charger + carrying strap and bag

Technical data

- > battery 2.5 Ah/18 V or 5 Ah/18 V
- > battery life (normal operation) 1 - 2 hours
- > weight without battery 2.3 kg, with battery 2.7 kg
- > filling volume 1.2 litres
- > dimensions (no tube) 287 x 407 x 152 mm (HxWxD)
- > tube length (with nozzle) approx. 670 mm

In order to relieve the burden on municipal budgets and cover the costs of waste disposal, the disposal of small-scale waste is remunerated in accordance with the Single-Use Plastics Fund Act (SUP-Fund Act) by the German Environment Agency. In this way, public waste management organisations can achieve both ecological and economic benefits by having their cleaning services remunerated according to different categories:

- > road kilometres per year in km
- > paved and unpaved areas per year per 1,000 km²
- > volume of waste bins per year per 100 litres
- > gully bins per year per unit
- > total amount of waste per year per kg

The KIPPEX outdoor vacuum cleaner specifically collects recyclable waste without sand and stones. It eliminates the need for waste separation and simplifies the billing process.



Further information on the SUPFund can be found at www.einwegkunststofffonds.de/en



Public institutions can be reimbursed for the collection and disposal of cigarette butts with around

1,50 €

per inhabitant & year*
from the Single-Use Plastics Fund.



Online-Shop
www.kippex-sauger.com

Incl. 2 x rechargeable battery, 1 x charger, carrying strap and carrying bag



battery

* All data without guarantee as defined in the Single-Use Plastics Fund Act (SUPFund), see link.

Weedgo!



Weedgo!QuickPro starter set without protective cover

Article no.	Description	Comment
292690.000000	starter set Weedgo!QuickPro incl. 6 bunches	mounting bracket 25,4 mm/20 mm

i Weedgo!QuickPro is suitable for trimmers from 2.5 hp (1.8 kW).

Weedgo!QuickPro spare parts



Pic.	Article no.	Description	Comment
1	542525.862000	weed bunch for Weedgo!QuickPro steel wire rope	unit of 12 pieces!
2	542525.180000	weed bunch for Weedgo!QuickPro, WIKRALON®	unit of 12 pieces!



Weedgo!Two starter set without protective cover

Article no.	Description	Comment
292750.000000	starter set Weedgo!Two incl. 4 bunches	mounting bracket 25,4 mm/20 mm

i Weedgo!Two is suitable for trimmers with at least 1.36 hp (1.0 kW) and max. 2.7 hp (2.0 kW).

Weedgo!Two spare parts



Pic.	Article no.	Description	Comment
1a	542507.867000	weed bunch for Weedgo!Two steel wire rope	unit of 8 pieces!
2a	542507.180000	weed bunch for Weedgo!Two, WIKRALON®	unit of 8 pieces!



until 2021



Weedgo!Pro spare parts (model until 2021)

Pic.	Article no.	Description	Comment
1b	542500.862000	weed bunch for Weedgo!Pro steel wire rope, also fitting Armigo	unit of 12 pieces!
2b	542500.180000	weed bunch for Weedgo!Pro WIKRALON®, also fitting Armigo	unit of 12 pieces!
3	292599.000000	installation wrench for starter set Weedgo!Pro	

i WIKRALON® is a specially developed plastic bristle for weed removal. Compared to the robust steel bunches, WIKRALON® protects delicate surfaces. This special tool may not be operated at full speed.



Patent: EP 2 241 173 B1

Weedgo! protective cover „BlackProtect“

black, reinforced design with flap for opening. Please check trimmer shaft diameter!

Article no.	Description	Comment
299502.000026	protective cover „BlackProtect“	shaft 26 mm, e.g. Stihl
299502.000028	protective cover „BlackProtect“	shaft 28 mm, e.g. Stihl
299502.000030	protective cover „BlackProtect“	shaft 30 mm, e.g. Solo 142
299502.000032	protective cover „BlackProtect“	shaft 32 mm, e.g. Efco, Dolmar
299502.000035	protective cover „BlackProtect“	shaft 35 mm, e.g. Stihl FS 550
299502.000036	protective cover „BlackProtect“	shaft 36 mm, e.g. Husqvarna
299502.000038	protective cover „BlackProtect“	shaft 38 mm, e.g. Stihl FS 560



Weedgo! protective cover spare parts

Pic.	Article no.	Description
3	299002.000000	flexible brush strip, 995 x 25 mm for ClearProtect and BlackProtect until 2019
4	299005.000000	flexible brush strip, 280 x 25 mm for ClearProtect and BlackProtect until 2019
3	299021.000000	flexible brush strip, 995 x 25 mm, with drilled retaining holes for BlackProtect from 2019
4	299022.000000	flexible brush strip, 280 x 25 mm, with drilled retaining holes for BlackProtect from 2019



Mobile protective wall 2-part, with aluminum frame

Pic.	Article no.	Description
5	294003.000000	2-part protective wall with aluminum frame, heavy version 4000 x 950 mm with blue protective mesh
6	294015.000000	foldable protective wall, 2400/800/2P, with green protective mesh and handles



Mobile protective wall 3-part, light version

Pic.	Article no.	Description
7	294011.000000	3-part standard protective wall, red/white, light version 3 panels, 1130 x 1030 mm per panel

WeedLine brushcutter heads



Classic-S brushcutter head

Article no.	Description
293030.000000	Classic-S brushcutter head incl. inner LH thread M12 x 1,5



EasyWork:
Fast thread change
without insertion tool!

EasyWork brushcutter head

Article no.	Description
293000.000000	with reinforced aluminum push button, incl. inner LH threads 12 x 1,5 mm and 10 x 1 mm, fitting e.g. STIHL, Dolmar and Solo, Ø 130 mm
293001.000001	threaded bushing M 12 x 1,75 „female“ left-hand thread, e.g. Husqvarna
293001.000002	threaded bushing M 10 x 1,25 „female“ left-hand thread e.g. Husqvarna



EasyWork accu brushcutter head suitable for accu trimmers

Article no.	Description
293040.000000	incl. inner LH threads 12 x 1,5 mm and 10 x 1 mm
293001.000000	threaded bushing M 10 x 1,0 „female“ left-hand thread



Profi-Fadenkopf SPEEDY Metallknopf, Fadenwechsel ohne Einführhilfe

Article no.	Description
292638.000000	incl. inner LH threads 12 x 1,5 mm and 10 x 1 mm



Professional brushcutter head

Article no.	Description
292520.000000	universal model, without threaded bushing
292540.000000	inner LH thread 8 x 1,25 mm, e.g. Tiger
292541.000000	inner LH thread 10 x 1,0 mm, e.g. STIHL
292542.000000	inner LH thread 10 x 1,25 mm, e.g. Echo, Honda, Husqvarna, Tiger
292543.000000	inner LH thread 12 x 1,5 mm, e.g. STIHL, Dolmar und Solo
292544.000000	inner LH thread 12 x 1,75 mm, e.g. Husqvarna Standard



Professional brushcutter head large

Article no.	Description
292548.000000	e.g. STIHL, inner LH thread 12 x 1,5 mm, large model

i Spare parts are available for all brushcutter heads listed above!



Tap & Go DUO Mini brushcutter head

Article no.	Description
293101.000000	2-thread brushcutter head, Ø 120 mm, max. thread-Ø 2 mm, inner LH thread M8 x 1,25 mm




Quattro brushcutter head

Article no.	Description
293102.000000	4-thread brushcutter head, Ø 148 mm incl. inner LH thread 10 x 1,0 mm, inner LH thread 10 x 1,25 mm, inner LH thread 12 x 1,5 mm and inner LH thread 12 x 1,75 mm




3-blade mower head

Pic.	Article no.	Description
1	293106.000000	Ø 300 mm, with 3 movable plastic blades, mounting bracket 25,4 / 20,0 mm, incl. 12 spare blades
2	293106.000001	Spare blades for 3-blade mower head, 12 pieces



Maxi Combi brushcutter head

Pic.	Article no.	Description
1	293103.000000	Boltless mounting, for brushcutters with angular gear and at least 40 cc, mounting bracket 25.4 mm/20 mm, incl. 3 threads
2	293104.000000	Brush plate for Maxi Combi brushcutter head, incl. 8 threads



Thread brush

Pic.	Article no.	Description	Comment
1	292596.000000	Thread brush large, aluminum head Ø 120 mm with 36 threads, thread size 3.0 mm	for trimmers from 30 ccm
2	292597.000000	Thread brush small, aluminum head Ø 80 mm with 16 threads, thread size 3.0 mm	for trimmers up to 30 ccm



Line packs (50 pcs.) for Thread brush

Article no.	Description	Comment
292598.000000	blue / 3,0 mm square / 380 mm	suitable for thread brushes 292596 and 292597



Line packs (30 pcs.) for Aloï brushcutter head universal and Thread brush

Article no.	Description
292559.000000	orange / 3,0 mm round / 360 mm
292585.000000	orange / 4,0 mm round / 360 mm
292557.000000	orange / 3,0 mm square / 360 mm

Stihl brushcutter heads



Stihl brushcutter head AutoCut C 4-2

Article no.	Description
293047.000000	Stihl brushcutter head AutoCut C 4-2, for thread diameter 2 mm



Stihl brushcutter head AutoCut C 6-2

Article no.	Description
293050.000000	Stihl brushcutter head AutoCut C 6-2, for thread diameter 2 mm



Stihl brushcutter head SuperCut 20-2

Article no.	Description
293070.000000	Stihl brushcutter head SuperCut 20-2



Stihl brushcutter head Autocut 25-2

Article no.	Description
293107.000000	Stihl brushcutter head Autocut 25-2



Stihl brushcutter head AutoCut C 26-2

Article no.	Description
293060.000000	Stihl brushcutter head Autocut C 26-2C



Stihl brushcutter head Autocut 27-2

Article no.	Description
293112.000000	Stihl brushcutter head Autocut 27-2



Stihl brushcutter head Autocut 36-2

Article no.	Description
293090.000000	Stihl brushcutter head Autocut 36-2, inner LH thread M10 x 1 mm



Stihl brushcutter head Autocut C46-2

Article no.	Description
293080.000000	Stihl brushcutter head Autocut C46-2, inner LH thread 12 x 1,5 mm

Rotary scissor / Snip-Snip cleaner

universal /suitable for many brush cutters due to special gear ratio



Article no.	Description
292991.000000	Rotary scissor / Snip-Snip cleaner, universal

Cutting width 230 mm, two counter-rotating, oscillating blades (scissor cut principle) prevent stones or other objects from being thrown away during mowing. The waterproof housing also makes the rotary scissor suitable for underwater mowing work.

Five plastic pipe adapter sleeves (Ø 24, 25, 25.4, 26 and 27 mm - 28 mm adapter) and an identification template for the drive shaft are included in the scope of delivery.

The rotary scissor should be used with a minimum torque of 0.90 Nm (corresponds to approx. 6,000 rpm for a 23 cc brush cutter). In general, the shears do not require much torque. Optimal use with devices with 25cc to 33cc.

ATTENTION!

Please note that the corresponding shaft adapters are required for mounting. **These are not included in the delivery!** Suitable adapters (templates index):

- A = order no. 6-636 (9 teeth)
- B = order No. 6-635 (8 teeth)
- C = order No. 6-634 (7 teeth)
- D = order-No. 6-6421 (oval 6.5 mm)
- E = order-No. 6-642 (Oval 5.5 / 7.1 mm)
- F = order-No. 6-637 (10 teeth)
- G = order-No. 6-640 (square 6.0 mm)
- H = order-No. 6-638 (4-edge 5.4 mm)
- I = order-No. 6-639 (4-edge 5.1 / 5.2 mm)

Rotary scissor head

New rotary scissor head for use on brushcutters and trimmers with straight shafts



Article no.	Description
292992.000000	Rotary scissor Head

TECHNICAL DATA

- length: 258 mm / width: 230 mm / height: 101 mm
- weight (incl. gearbox): 1.7 kg
- max. rpm: 10.000 min⁻¹*
- max. rpm of tool spindle: 5.200 min⁻¹

* Please refer to the instruction manual of the device manufacturer for the applicable engine or tool rpm.

Following mounting accessories are included:

- TKA-01 shaft: 10 splined (socket 6.0 mm)
- TKA-02 shaft: 7 splined (socket 7.0 mm)
- TKA-03 shaft: 13 splined (socket 7.0 mm)
- TKA-04 shaft: 9 splined (socket 8.0 mm)
- TKA-05 shaft: square (socket 5.2 mm)
- TKS-24 tube: 28.00 on 24.00 mm
- TKS-25 tube: 28.00 on 25.00 mm
- TKS-254 tube: 28.00 on 25.40 mm
- TKS-26 tube: 28.00 on 26.00 mm
- TKG-01 template: shaft and tube Ø

i Spare parts are available for both rotary scissor models!

Professional nylon thread 0,5 kg



Article no.	Description
292600.000000	violet, blister pack 0,5 kg / 2,4 mm round / 100 m
292606.000000	violet, blister pack 0,5 kg / 2,7 mm round / 88 m
292601.000000	violet, blister pack 0,5 kg / 3,0 mm round / 67 m
292602.000000	violet, blister pack 0,5 kg / 2,4 mm square / 88 m
292607.000000	violet, blister pack 0,5 kg / 2,7 mm square / 77 m
292603.000000	violet, blister pack 0,5 kg / 3,0 mm square / 56 m
292604.000000	violet, blister pack 0,5 kg / 2,7 mm saw tooth / 67 m

Professional nylon thread 2 kg



Article no.	Description
292610.000000	violet, coil 2,0 kg / 2,4 mm round / 400 m
292616.000000	violet, coil 2,0 kg / 2,7 mm round / 352 m
292611.000000	violet, coil 2,0 kg / 3,0 mm round / 268 m
292612.000000	violet, coil 2,0 kg / 2,4 mm square / 352 m
292617.000000	violet, coil 2,0 kg / 2,7 mm square / 308 m
292613.000000	violet, coil 2,0 kg / 3,0 mm square / 224 m
292614.000000	violet, coil 2,0 kg / 2,7 mm saw tooth / 268 m



NOTE: Our range does not include matching brushcutter heads for the following threads!

292615.000000	violet, coil 2,0 kg / 3,3 mm saw tooth / 196 m
292633.000000	violet, coil 2,0 kg / 4,0 mm saw tooth / 128 m

Professional nylon thread 10 kg



Article no.	Description
292620.000000	violet, coil 10,0 kg / 2,4 mm round / 2000 m
292626.000000	violet, coil 10,0 kg / 2,7 mm round / 1760 m
292621.000000	violet, coil 10,0 kg / 3,0 mm round / 1340 m
292622.000000	violet, coil 10,0 kg / 2,4 mm square / 1760 m
292627.000000	violet, coil 10,0 kg / 2,7 mm square / 1440 m
292623.000000	violet, coil 10,0 kg / 3,0 mm square / 1120 m
292624.000000	violet, coil 10,0 kg / 2,7 mm saw tooth / 1340 m



NOTE: Our range does not include matching brushcutter heads for the following thread!

292634.000000	violet, coil 10,0 kg / 4,0 mm saw tooth / 640 m
---------------	---

WEEDSHOCK professional nylon thread

2 components / aggressive / extremely durable



Article no.	Description
292678.000000	coil 1,0 kg / 2,4 mm round / 180 m
292679.000000	coil 1,0 kg / 2,7 mm round / 140 m
292677.000000	coil 1,0 kg / 3,0 mm round / 120 m
292676.000000	coil 1,0 kg / 2,7 mm square / 180 m

WEEDSTAR professional nylon thread



Article no.	Description
292657.000000	coil 1,0 kg / 2,7 mm star shape / 188 m



Nylium STARLINE® Professional nylon thread

with aluminium particles to prevent fusing / very resistant / for tall grass

Article no.	Description
292951.000000	coil 2,0 kg / 2,4 mm star shape / 5 cutting edges / 360 m
292953.000000	coil 2,0 kg / 2,7 mm star shape / 5 cutting edges / 280 m
292954.000000	coil 2,0 kg / 3,0 mm star shape / 5 cutting edges / 240 m



Stihl cutter threads

Article no.	Description
292952.000000	coil / 2,7 mm square / red / 358 m



ECO-S-Series 2 kg

Article no.	Description
292812.000000	ECO-S nylon thread green, coil 2,0 kg / 2,0 mm round / 576 m
292806.000000	ECO-S nylon thread orange, coil 2,0 kg / 2,4 mm round / 388 m
292808.000000	ECO-S nylon thread red, coil 2,0 kg / 2,7 mm round / 310 m
292810.000000	ECO-S nylon thread yellow, coil 2,0 kg / 3,0 mm round / 248 m
292807.000000	ECO-S nylon thread orange, coil 2,0 kg / 2,4 mm square / 358 m
292809.000000	ECO-S nylon thread red, coil 2,0 kg / 2,7 mm square / 282 m
292811.000000	ECO-S nylon thread yellow, coil 2,0 kg / 3,0 mm square / 228 m

POWERDRILL nylon thread

powerful / for higher speeds / low-noise



Pic.	Article no.	Description
1	292900.000000	Nylon thread PowerDrill, blister pack / 2,0 mm twisted / 98 m
1	292901.000000	Nylon thread PowerDrill, blister pack / 2,4 mm twisted / 70 m
1	292902.000000	Nylon thread PowerDrill, blister pack / 2,7 mm twisted / 56 m
1	292903.000000	Nylon thread PowerDrill, blister pack / 3,0 mm twisted / 44 m
2	292910.000000	Nylon thread PowerDrill, coil / 2,0 mm twisted / 489 m
2	292911.000000	Nylon thread PowerDrill, coil / 2,4 mm twisted / 348 m
2	292912.000000	Nylon thread PowerDrill, coil / 2,7 mm twisted / 280 m
2	292913.000000	Nylon thread PowerDrill, coil / 3,0 mm twisted / 220 m

POWERDRILL ALU nylon thread

copolymer thread with aluminium particles



Pic.	Article no.	Description
1	292921.000000	Nylon thread PowerDrill ALU, blister pack / 2,4 mm twisted / 70 m
1	292922.000000	Nylon thread PowerDrill ALU, blister pack / 2,7 mm twisted / 56 m
1	292923.000000	Nylon thread PowerDrill ALU, blister pack / 3,0 mm twisted / 44 m
2	292931.000000	Nylon thread PowerDrill ALU, coil / 2,4 mm twisted / 208 m
2	292932.000000	Nylon thread PowerDrill ALU, coil / 2,7 mm twisted / 167 m
2	292933.000000	Nylon thread PowerDrill ALU, coil / 3,0 mm twisted / 131 m

WeedLine conical/brushes & accessories



BIOLINE thread biodegradable in soil, TÜV certified

Article no.	Description
292635.000000	coil 2,0 kg / 2,4 mm round / 376 m
292636.000000	coil 2,0 kg / 2,7 mm round / 294 m
292637.000000	coil 2,0 kg / 4,0 mm round / 136 m

i **BIOLINE** is compatible with all standard thread heads. However, due to the low melting point of the biological material and the high temperatures generated in some thread heads, fusion may occur. Weber Brush Systems accepts no liability for this. Alternatively, we offer the following thread head.



Universal brushcutter head for BIOLINE

Article no.	Description
293120.000000	Ø 80 mm, mount 25,4/15, height 75 mm, red plastic



Conical wire brushes

suitable for trimmers from 1 hp (0.7 kW) up to max. 2.5 hp (1.8 kW)

Article no.	Description
430323.810000	170 x 20 mm with 32 wires, e.g. STIHL *
430322.810000	170 x 25,4 mm with 32 wires *
430324.810000	200 x 20 mm with 36 wires, e.g. STIHL
430327.810000	200 x 25,4 mm with 36 wires

*When using the conical wire brushes with max. diameter 170 mm we recommend our protective cover **SmartProtect**



Sensitive conical brushes

suitable for trimmers from 1 hp (0.7 kW) up to max. 2.5 hp (1.8 kW)

Article no.	Description
430323.474000	165 x 20 mm, PBT star-shaped orange, e.g. STIHL, Dolmar, Echo, Josered, Solo *
430322.474000	165 x 25,4 mm, PBT star-shaped orange, e.g. Honda GX 31 *
430324.474000	200 x 20 mm, PBT star-shaped orange, e.g. STIHL, Dolmar, Echo, Josered, Solo
430327.474000	200 x 25,4 mm, PBT star-shaped orange, e.g. Honda GX 31

*When using the sensitive conical brushes with max. diameter 165 mm we recommend our protective cover **SmartProtect**

i Sensitive conical brushes are a special tool and may not be operated at full speed.



Gentle brush head „universal“

Pic.	Article no.	Description	Comment
1	253916.180000	Ø 161 mm, 3 rows WIKRALON®, bristle height 100 mm, universal mounting bracket 25,4 / 20,0 mm	for petrol trimmers
2	253917.180000	Ø 131 mm, 2 rows WIKRALON®, bristle height 100 mm, universal mounting bracket 25,4 / 20,0 mm	for accu trimmers

i Gentle brush heads are a special tool and may not be operated at full speed. Suitable for use with our protective cover **BlackProtect** (page 5). For use with **accu** trimmers we recommend powerful battery packs.



Conical brush with brass-plated steel wire

Article no.	Description
430340.880000	Ø 230 mm, brass-plated steel wire, crimped, mounting bracket 20.0 mm
430341.880000	Ø 230 mm, brass-plated steel wire, crimped, mounting bracket 25.4 mm



Patent:
EP 2 241 173 B1

Protective cover „SmartProtect“

for trimmers from 1 hp - use only in conjunction with conical brushes of max. Ø 165 mm

Article no.	Description
299200.000000	protective cover „SmartProtect“ incl. brush protector and blue handle incl. adaptor for shaft Ø 24, 26 and 28 mm



2-tooth mulching blade

Pic.	Article no.	Description
1	292720.000000	straight form, length 300 mm, thickness 4 mm, mounting 20.0 mm
1	292721.000000	straight form, length 300 mm, thickness 4 mm, mounting 25.4 mm
2	292722.000000	S-shape, length 320 mm, thickness 4 mm, mounting 20.0 mm
2	292723.000000	S-shape, length 320 mm, thickness 4 mm, mounting 25.4 mm



Conical wire brush for single-axle machines

Article no.	Description
430335.810000	350 x 30 mm with 64 wires, suitable e.g. for AS 30 Weedhex



Sweeping brush for the MultiSystem

For quick cleaning of irregular surfaces, with counter-rotating direction of rotation

Article no.	Description	Comment
172661.385000	sweeping roller plastic body, 245 / 250 mm, suitable for STIHL KB-KM	2 pcs. required, s. picture
172742.385000	sweeping roller plastic body 240 / 250 mm suitable for Husqvarna BR600	2 pcs. required, s. picture



X-road broom „FegeFix®“

Lightweight broom with spring effect for irregular surfaces and joints. For handles with Ø 27 mm.

Article no.	Description
650022.482000	wooden sweeping bar, width 400 mm, 3 rows PET bristle 1,2 mm red, bristle height 95 mm
650023.482000	wooden sweeping bar, width 600 mm, 3 rows PET bristle 1,2 mm red, bristle height 95 mm
680003.000000	Broom handle for FegeFix®

i Handmade by disabled people, supplied without handle.

WeedLine accessories



Ear & Face Protection

Article no.	Description
293105.000000	Padded headband and forehead support, mesh visor, for head size 52-63 cm. Standard according to DIN EN352-1 and EN173-1F, Ear protection EP106, CE approved.



ECOLINE Forestry Helmet

Article no.	Description
293108.000000	Lightweight HDPE helmet shell with four-point internal harness, mesh visor, for head size 54-62 cm. Standard according to DIN EN89 and EN686, silencer EN352-3:2003. Complies with all current CE regulations.

40% discount

SALE! Only while stocks last.



TriRex thicket cutter

Article no.	Description
292685.000000	outer diameter 255 mm, inner hole 25,4 mm
292686.000000	outer diameter 300 mm, inner hole 20,0 mm



ECO-S-Series 0,5 kg

Article no.	Description
292800.000000	ECO-S nylon thread orange, blister pack / 2,4 mm round / 90 m
292801.000000	ECO-S nylon thread orange, blister pack / 2,4 mm square / 70 m
292805.000000	ECO-S nylon thread yellow, blister pack / 3,0 mm square / 50 m



General note: Wear appropriate protective clothing and goggles while working with trimmers. All model details are subject to change and may vary. Please always check the actual socket of the trimmer.

Spare bunches for all common weed systems



Weed bunch Limpar

Article no.	Description
542504.862000	145 / 14 mm / square socket 21.5 mm, steel wire rope 14 mm



Weed bunch Tielbürger

Article no.	Description
542508.862000	160 / 14 mm / hexagon socket 21.6 mm, steel wire rope 14 mm



Weed bunch Weed-bee

Article no.	Description
542516.862000	160 / 14 mm / square 21.5 mm, new version, steel wire rope 14 mm



Weed bunch Stella

Article no.	Description
540068.863000	180 / 16 mm, steel wire rope 16 mm



Weed bunch Cramer

Article no.	Description
540087.863000	165 / 16 mm, steel wire rope 16 mm

Pictures similar.

i More weed bunches available!

Weber Brush Systems GmbH

**Administration, sales, development,
production and customer service**

Kleinmühle an der B8
65520 Bad Camberg
T +49 (0) 6434 91 25 - 0
F +49 (0) 6434 91 25 - 42

Schmölln office

Sales and production

Am Jägerfließ 4
04626 Schmölln-Nitzschka
T +49 (0) 34491 635 - 93
F +49 (0) 34491 635 - 94

www.weberbrushes.com
info@weberbrushes.com

Your local dealer:

